

Safety Data Sheet

DAUBERT
CHEMICAL COMPANY, INC.

Stock Number: 3075005
Revision Date: 05-10-2022
Replaces: 11-23-2021

TECTYL® 275

1. Identification

Product identifier used on the label: TECTYL® 275
Stock Number: 3075005

Other means of identification:
Synonyms: None
Chemical family: Mixture

Recommended use of the chemical and restrictions on use:
Recommended use: Corrosion Preventive Compound
Restrictions on use: Uses other than those described above

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party: Daubert Chemical Company
4700 S. Central Avenue
Chicago, IL 60638


Telephone number: 1-708-496-7350
E-mail address: SDS@Daubert.com

Emergency phone number: Chemtrec: (800) 424-9300 - in USA and Canada
+1-703-527-3887 - outside USA and Canada

2. Hazard(s) identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200:

GHS Hazard Symbols:



GHS Classification: Skin Sensitization Category 1; Aspiration Hazard Category 1; Skin Corrosion/Irritation Category 2; Serious Eye Damage/Eye Irritation Category 2A; Specific Target Organ Systemic Toxicity (STOT) - Single Exposure Category 3; Flammable Liquid Category 4

Signal Word: Danger

Hazard Statements: Combustible Liquid
May be fatal if swallowed and enters airways
Causes skin irritation
May cause an allergic skin reaction
Causes serious eye irritation
May cause respiratory irritation
May cause drowsiness or dizziness

Safety Data Sheet

Product identifier used on the label: TECTYL® 275

Stock Number: 3075005

Revision Date: 05-10-2022

Replaces: 11-23-2021

Unclassified Hazards (HNOC):

None Identified

Precautionary Statements:

Prevention:

Keep away from heat/sparks/open flames/hot surfaces. – No smoking.

Avoid breathing dust/fume/gas/mist/ vapors/spray.

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection.

Response:

If swallowed: Immediately call a POISON CENTER or doctor/physician.

If on skin: Wash with plenty of water.

If inhaled: Remove person to fresh air and keep comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Call a poison center/doctor if you feel unwell.

Specific treatment: see Section 4 on this SDS.

Do NOT induce vomiting.

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

Wash contaminated clothing before reuse.

In case of fire: Use appropriate media to extinguish.

Storage:

Store in a well-ventilated place. Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Store locked up.

Disposal:

Dispose of contents/container to a suitable disposal site in accordance with local/national/international regulations.

Hazards not otherwise classified:

No data available

Safety Data Sheet

Product identifier used on the label: TECTYL® 275

Stock Number: 3075005

Revision Date: 05-10-2022

Replaces: 11-23-2021

3. Composition/information on ingredients

| Chemical Name | Common name and synonyms | CAS # | % |
|---|--------------------------|------------|---------|
| Distillates (petroleum), hydrotreated light | None | 64742-47-8 | 30 - 60 |
| Ethylene glycol mono-n-butyl ether | None | 111-76-2 | 10 - 30 |
| 2,5-bis(n-octyldithio)-1,3,4-thiadiazole | None | 13539-13-4 | 0.1 - 1 |

Specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Description of necessary measures, subdivided according to the different routes of exposure, i.e., inhalation, skin and eye contact, and ingestion:

Inhalation:

If symptoms are experienced remove source of contamination or move victim to fresh air and obtain medical advice.

Eye Contact:

Flush eyes with plenty of water for at least 20 minutes retracting eyelids often. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Get immediate medical attention.

Skin Contact:

Wash with soap and water. Remove contaminated clothing and launder. Get medical attention if irritation develops or persists.

Ingestion:

Do not induce vomiting and seek medical attention immediately. Provide medical care provider with this SDS. If vomiting occurs, lean victim forward to reduce risk of aspiration into lungs.

Most important symptoms/effects, acute and delayed:

May be fatal if swallowed and enters airways Causes skin irritation. May cause an allergic skin reaction Causes serious eye irritation May cause respiratory irritation May cause drowsiness or dizziness

Indication of immediate medical attention and special treatment needed, if necessary:

Consult a physician. Treat symptomatically.

Safety Data Sheet

Product identifier used on the label: TECTYL® 275

Stock Number: 3075005

Revision Date: 05-10-2022

Replaces: 11-23-2021

5. Fire-fighting measures

Suitable (and unsuitable) extinguishing media:

Suitable extinguishing media: Use alcohol resistant foam, carbon dioxide, dry chemical, or water spray when fighting fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the fire.

Unsuitable extinguishing media: Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical:

Vapors may be ignited by sparks, flames or other sources of ignition if material is above the flash point giving rise to a fire (Class B). Vapors are heavier than air and may travel to a source of ignition and flash back. Container may explode in heat of fire. Empty containers that retain product residue (liquid, solid/sludge, or vapor) can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose container to heat, flame, sparks, static electricity, or other sources of ignition. Any of these actions can potentially cause an explosion that may lead to injury or death.

Hazardous combustion products: Oxides of carbon, Toxic fumes, Toxic gases, Ammonia, Nitrogen containing gases, Hydrocarbons, Sulfur oxides

Special protective equipment and precautions for fire-fighters:

Do not enter fire area without proper protection including self-contained breathing apparatus and full protective equipment. Fight fire from a safe distance and a protected location due to the potential of hazardous vapors and decomposition products.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Exposure to the spilled material may be irritating or harmful. Follow personal protective equipment recommendations found in Section 8 of this SDS. Additional precautions may be necessary based on special circumstances created by the spill including the material spilled, the quantity of the spill, the area in which the spill occurred. Also consider the expertise of employees in the area responding to the spill.

Methods and materials for containment and cleaning up:

Absorb or cover with dry earth, sand or other non-combustible material and transfer to appropriate waste containers. Use clean, non-sparking tools to collect absorbed material. Collect and discard in accordance with local, state and national regulations.

Safety Data Sheet

Product identifier used on the label: TECTYL® 275

Stock Number: 3075005

Revision Date: 05-10-2022

Replaces: 11-23-2021

7. Handling and storage

Precautions for safe handling: Avoid contacting and avoid breathing the material. Use only in a well-ventilated area. "Empty" containers retain product residue (liquid and/or vapor) and can be dangerous. Do not get in eyes, on skin and clothing. Wash thoroughly after handling. As with all chemicals, good industrial hygiene practices should be followed when handling this material.

Conditions for safe storage, including any incompatibilities:

Safe storage conditions: Store in a cool dry ventilated location. Isolate from incompatible materials and conditions. Keep container(s) closed. Do not store in direct sunlight. Keep away from heat, sparks, and flame.

Materials to Avoid/Chemical Incompatibility: Strong oxidizing agents

8. Exposure controls/personal protection

OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV), and any other exposure limit used or recommended by the chemical manufacturer, importer, or employer preparing the safety data sheet, where available:

| Chemical component | OSHA PEL | ACGIH TLV | ACGIH STEL | IDLH |
|---|---------------------------------------|-----------------------|------------|-------------------|
| Distillates (petroleum), hydrotreated light | | 200 mg/m ³ | | No data available |
| Ethylene glycol mono-n-butyl ether | 50 ppm TWA; 240 mg/m ³ TWA | 20 ppm TWA | | No data available |

This product contains mineral oils having recommended exposure limits of 5 mg/m³ in mist form. Because the viscosity of this product is ≤ 20.5 cSt, mists can be formed in certain applications. If mists do form, use appropriate controls to maintain exposure below the stated limits.

Appropriate engineering controls: Local exhaust ventilation or other engineering controls are normally required when handling or using this product to avoid overexposure. Engineering controls must be designed to meet the OSHA chemical specific standard in 29 CFR 1910.

Individual protection measures, such as personal protective equipment:

Respiratory Protection: Proper ventilation (at a minimum) will be required when handling this product. Use respirators (NIOSH approved) only if ventilation cannot be used to eliminate symptoms or reduce the exposure to below acceptable levels.

Respirator Type(s): NIOSH approved air purifying respirator with organic vapor cartridge.

Safety Data Sheet

Product identifier used on the label: TECTYL® 275

Stock Number: 3075005

Revision Date: 05-10-2022

Replaces: 11-23-2021

| | |
|------------------------------------|---|
| Eye protection: | Wear chemically resistant safety glasses with side shields when handling this product. Wear additional eye protection such as chemical splash goggles and/or face shield when the possibility exists for eye contact with splashing or spraying liquid, or airborne material. Do not wear contact lenses. Have an eye wash station available. |
| Skin protection: | Wear protective gloves. Inspect gloves for chemical break-through and replace at regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work. |
| Gloves: | Chemically resistant gloves |
| Other protective equipment: | <p>Wear chemically resistant safety glasses with side shields when handling this product. Wear additional eye protection such as chemical splash goggles and/or face shield when the possibility exists for eye contact with splashing or spraying liquid, or airborne material. Do not wear contact lenses. Have an eye wash station available.</p> <p>Wear protective gloves. Inspect gloves for chemical break-through and replace at regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work.</p> |
| General hygiene conditions: | Ground and bond containers when transferring material. Keep in air-tight containers- material is hygroscopic. Use spark-proof tools and explosion-proof equipment. "Empty" containers retain product residue (liquid and/or vapor) and can be dangerous. Do not get in eyes, on skin and clothing. Wash thoroughly after handling. As with all chemicals, good industrial hygiene practices should be followed when handling this material. |

9. Physical and chemical properties

Appearance (physical state, color etc.):

| | |
|---|---------------------|
| Physical state: | Liquid |
| Color: | Amber |
| Odor: | Hydrocarbon Solvent |
| | Slight |
| Odor Threshold: | No data available |
| pH: | No data available |
| Melting point/freezing point (°C): | |
| Melting Point (°C): | No data available |
| Freezing point (°C): | No data available |

Safety Data Sheet

Product identifier used on the label: TECTYL® 275

Stock Number: 3075005

Revision Date: 05-10-2022

Replaces: 11-23-2021

| | |
|---|------------------------|
| Initial boiling point and boiling range (°C): | No data available |
| Flash Point: | 142 °F (61 °C) |
| Evaporation Rate: | <1 (n-Butyl Acetate=1) |
| Flammability (solid, gas): | No data available |
| Upper/lower flammability or explosive limits: | |
| Upper flammability or explosive limits: | No data available |
| Lower flammability or explosive limits: | No data available |
| Vapor pressure: | No data available |
| Vapor density: | >1 (Air=1) |
| Relative density: | 0.857 |
| Solubility(ies): | Negligible; 0-1% |
| Partition coefficient: n-octanol/water: | No data available |
| Auto-ignition temperature (°C): | No data available |
| Decomposition Temperature (°C): | No data available |
| Viscosity: | 4.9 cSt @ 40°C |
| Volatiles, % by weight: | 66.0 |
| VOC, Material, lb/gal | 4.36 |
| VOC, Material, grams/liter | 523 |
| VOC minus exempt solvents & water, g/L | 546 |

10. Stability and reactivity

| | |
|--|---|
| Reactivity: | Not expected to be reactive |
| Chemical stability: | Hazardous polymerization will not occur. |
| Possibility of hazardous reactions: | Under normal conditions of storage and use, hazardous reactions will not occur. |
| Conditions to avoid (e.g., static discharge, shock, or vibration): | Temperatures above flash point in combination with sparks, open flames, or other sources of ignition. Elevated temperatures. Contamination. |
| Incompatible materials: | Strong oxidizing agents |
| Hazardous decomposition products: | Under normal conditions of use & storage, decomposition and hazardous decomposition products are unlikely. |

Safety Data Sheet

Product identifier used on the label: TECTYL® 275

Stock Number: 3075005

Revision Date: 05-10-2022

Replaces: 11-23-2021

11. Toxicological information

Description of the various toxicological (health) effects and the available data used to identify those effects:

Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact):

Eye contact, Skin contact, Inhalation

Symptoms related to the physical, chemical and toxicological characteristics:

May be fatal if swallowed and enters airways. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. May cause respiratory irritation. May cause drowsiness or dizziness

Delayed and immediate effects and also chronic effects from short- and long-term exposure:

Ingestion Toxicity:

Harmful if swallowed. Estimated to be 2.0 - 5.0 g/kg; slightly toxic

Skin Contact:

Can cause moderate skin irritation, defatting, and dermatitis. Not likely to cause permanent damage. May cause skin irritation. Allergic reactions are possible.

Inhalation Toxicity:

May cause respiratory irritation

Eye Contact:

Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue.

Sensitization:

May cause an allergic skin reaction

Mutagenicity:

No data

Reproductive and Developmental Toxicity:

No data available

Carcinogenicity:

There are no carcinogenic ingredients present at or over 0.1%.

STOT-single exposure:

Classification has been based on toxicological information of the components in Section 3.

STOT-repeated exposure:

Based on available data, the classification criteria are not met.

Aspiration hazard:

Classification has been based on toxicological information of the components in Section 3.

Numerical measures of toxicity (such as acute toxicity estimates):

| Chemical Name | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|---|----------------------------|----------------------------|---|
| Distillates (petroleum), hydrotreated light | | | Inhalation LC50 (4h) Rat > 20 mg/L |
| Ethylene glycol mono-n-butyl ether | Oral LD50 Rat = 1300 mg/kg | Dermal LD50 Rat 2000 mg/kg | Inhalation LC50 (4h) Guinea pig 932 ppm |

Safety Data Sheet

Product identifier used on the label: TECTYL® 275

Stock Number: 3075005

Revision Date: 05-10-2022

Replaces: 11-23-2021

Is the hazardous chemical listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or has it been found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition), or by OSHA?:

| Chemical Name | OSHA Carcinogen | IARC Carcinogen | NTP Carcinogen |
|--|-----------------|-----------------|----------------|
| No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen. | | | |

12. Ecological information

Ecotoxicity (aquatic and terrestrial, where available): No data available

Ecological Toxicity Data:

| Chemical Name | CAS # | Aquatic EC50 Crustacea | Aquatic ERC50 Algae | Aquatic LC50 Fish |
|------------------------------------|----------|-----------------------------------|---------------------|--|
| Ethylene glycol mono-n-butyl ether | 111-76-2 | LC50(24HR) WATER FLEA > 1720 mg/L | No data available | LC50(96 HR) BLUEGILL SUNFISH = 1490 mg/L |

Persistence and degradability: No data

Bioaccumulative potential: No data available

Mobility in soil: No data available

Other adverse effects (such as hazardous to the ozone layer): No data available

13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging: Spent or discarded material may be a hazardous waste. Dispose of by incineration following Federal, State, Local, or Provincial regulations.

Waste codes / waste designations: D001

Safety Data Sheet

Product identifier used on the label: TECTYL® 275

Stock Number: 3075005

Revision Date: 05-10-2022

Replaces: 11-23-2021

14. Transport information

| | |
|---|--|
| Domestic Ground in containers <= 119 GL | Corrosion preventive/Non-Regulated |
| Domestic Ground in containers > 119 GL | UN1268, PETROLEUM DISTILLATES, N.O.S., (Naphtha Solvent), Combustible liquid, PG III |
| Shipping name for Export, Air (IATA) | Corrosion preventive/Non-Hazardous |
| Shipping name for Export, Sea (IMDG) | Corrosion preventive/Non-Hazardous |
| Marine Pollutant? | No |

15. Regulatory information

International Inventory

| Country(s) or region | | On inventory (yes/no)* |
|----------------------|--|------------------------|
| Australia | Australian Inventory of Chemical Substances (AICS) | Yes |
| Canada | Domestic Substances List (DSL) | Yes |
| Canada | Non-Domestic Substances List (NDSL) | No |
| China | Inventory of Existing Chemical Substances in China (IECSC) | Yes |
| Europe | European Inventory of Existing Commercial Chemical Substances (EINECS) | Yes |
| Europe | European List of Notified Chemical Substances (ELINCS) | No |
| Japan | Inventory of Existing and New Chemical Substances (ENCS) | Yes |
| Korea | Existing Chemicals List (ECL) | Yes |
| New Zealand | New Zealand Inventory | Yes |
| Philippines | Philippines Inventory of Chemicals and Chemical Substances (PICCS) | Yes |
| Taiwan | Taiwan Inventory | Yes |

Safety Data Sheet

Product identifier used on the label: TECTYL® 275

Stock Number: 3075005

Revision Date: 05-10-2022

Replaces: 11-23-2021

| | | |
|-----------------------------|---|-----|
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory | Yes |
|-----------------------------|---|-----|

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or are unknown from listing on the inventory administered by the governing country(s).

| Chemical Name | CAS # | Regulation | Percent |
|----------------------|----------|--|-------------------------|
| Naphthalene | 91-20-3 | Prop. 65 - Cancer | TRACE |
| Benzene | 71-43-2 | Prop. 65 - Cancer | TRACE |
| Ethylbenzene | 100-41-4 | Prop. 65 - Cancer | TRACE |
| Toluene | 108-88-3 | Prop. 65 - Developmental and/or Reproductive | TRACE |
| Benzene | 71-43-2 | Prop. 65 - Developmental and/or Reproductive | TRACE |
| Naphthalene | 91-20-3 | CERCLA | TRACE RQ = 100 lbs. |
| Toluene | 108-88-3 | CERCLA | TRACE RQ = 1000 lbs |
| Benzene | 71-43-2 | CERCLA | TRACE RQ = 10 lbs. |
| Ethylbenzene | 100-41-4 | CERCLA | TRACE RQ = 1000 lbs. |
| Glycol ethers (N230) | 111-76-2 | SARA 313 | 10 - 30 |
| Glycol Ethers (N230) | 112-34-5 | SARA 313 | 0.1 - 1 |
| Naphthalene | 91-20-3 | SARA 313 | TRACE |

Safety Data Sheet

Product identifier used on the label: TECTYL® 275

Stock Number: 3075005

Revision Date: 05-10-2022

Replaces: 11-23-2021

| | | | |
|--|----------|----------|-------|
| Toluene | 108-88-3 | SARA 313 | TRACE |
| Benzene | 71-43-2 | SARA 313 | TRACE |
| Ethylbenzene | 100-41-4 | SARA 313 | TRACE |
| No SARA 302 EHS-listed chemicals in this product. | | SARA EHS | |

16. Other information, including date of preparation or last revision.

SDS Prepared by: DAUBERT\HALINSKI

Revision Date: 05-10-2022

Revision Number: 34

Reason for revision: Reviewed
Approved: M. Longo

Disclaimer: Although the information contained herein is believed to be reliable, it is furnished without warranty of any kind. This information is not intended to be all-inclusive as to the manner and conditions of use, handling, and storage.