

# Safety Data Sheet

**DAUBERT**  
CHEMICAL COMPANY, INC.

Stock Number: 3119006  
Revision Date: 01-13-2022  
Replaces: 08-10-2021

## TECTYL® 506G

### 1. Identification

**Product identifier used on the label:** TECTYL® 506G  
**Stock Number:** 3119006

**Other means of identification:**  
**Synonyms:** None  
**Chemical family:** Mixture

**Recommended use of the chemical and restrictions on use:**  
**Recommended use:** Corrosion Preventive Compound  
**Restrictions on use:** Uses other than those described above

**Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party:** Daubert Chemical Company  
4700 S. Central Avenue  
Chicago, IL 60638

**Telephone number:** 1-708-496-7350  
**E-mail address:** SDS@Daubert.com

**Emergency phone number:** Chemtrec: (800) 424-9300 - in USA and Canada  
+1-703-527-3887 - outside USA and Canada

### 2. Hazard(s) identification

**Classification of the chemical in accordance with paragraph (d) of §1910.1200:**

**GHS Hazard Symbols:**



**GHS Classification:** Flammable Liquid Category 3; Specific Target Organ Systemic Toxicity (STOT) - Single Exposure Category 3

**Signal Word:** Warning

**Hazard Statements:** Flammable liquid and vapor  
May cause respiratory irritation  
May cause drowsiness or dizziness

**Unclassified Hazards (HNOC):** None Identified

**Precautionary Statements:**  
**Prevention:** Keep away from heat/sparks/open flames/hot surfaces. – No smoking.  
Ground/bond container and receiving equipment.  
Use explosion-proof electrical/ventilating/lighting equipment.  
Use only non-sparking tools.

# Safety Data Sheet

Product identifier used on the label: TECTYL® 506G

Stock Number: 3119006

Revision Date: 01-13-2022

Replaces: 08-10-2021

Take precautionary measures against static discharge.

Avoid breathing dust/fume/gas/mist/ vapors/spray.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

**Response:**

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If inhaled: Remove person to fresh air and keep comfortable for breathing.

Call a poison center/doctor if you feel unwell.

In case of fire: Use appropriate media to extinguish.

**Storage:**

Store in a well-ventilated place. Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Store locked up.

**Disposal:**

Dispose of contents/container to a suitable disposal site in accordance with local/national/international regulations.

**Hazards not otherwise classified:**

Crystalline silica, when present in paint, grease, or a liquid coating, is not known to present a carcinogen hazard as it is bound within a matrix. Risks associated with this chemical is attributable to dust (inhalation) exposures, and not to exposures from formulated products, like paint, grease, or a liquid coating, where the dust is embedded in the mixture and not available for exposure. Particles released from sanding and sawing mixtures, including paints, lacquers, and epoxy solids containing crystalline silica, have been characterized. Pure chemical particles are not released during these uses, but rather the particles remain embedded in the coating matrices.

### 3. Composition/information on ingredients

Chemical Name	Common name and synonyms	CAS #	%
Distillates (petroleum), hydrotreated light	None	64742-47-8	45 - 70
Sulfonic acids, petroleum, sodium salts	None	68608-26-4	1 - 5
Ethylene glycol mono-n-butyl ether	None	111-76-2	1 - 5

Specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

# Safety Data Sheet

Product identifier used on the label: TECTYL® 506G

Stock Number: 3119006

Revision Date: 01-13-2022

Replaces: 08-10-2021

## 4. First-aid measures

Description of necessary measures, subdivided according to the different routes of exposure, i.e., inhalation, skin and eye contact, and ingestion:

<b>Inhalation:</b>	If symptoms are experienced remove source of contamination or move victim to fresh air and obtain medical advice.
<b>Eye Contact:</b>	Immediately flush eyes with plenty of water for at least 20 minutes retracting eyelids often. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Get immediate medical attention and monitor the eye daily as advised by your physician.
<b>Skin Contact:</b>	Wash with soap and water. Get medical attention if irritation develops or persists.
<b>Ingestion:</b>	Do not induce vomiting and seek medical attention immediately. Provide medical care provider with this SDS. If vomiting occurs, lean victim forward to reduce risk of aspiration into lungs.

**Most important symptoms/effects, acute and delayed:** May cause respiratory irritation May cause drowsiness or dizziness

**Indication of immediate medical attention and special treatment needed, if necessary:** Consult a physician. Treat symptomatically.

## 5. Fire-fighting measures

**Suitable (and unsuitable) extinguishing media:**

**Suitable extinguishing media:** Use alcohol resistant foam, carbon dioxide, dry chemical, or water spray when fighting fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the fire.

**Unsuitable extinguishing media:** Do not use water jet as an extinguisher, as this will spread the fire.

**Specific hazards arising from the chemical:** Vapors may be ignited by sparks, flames or other sources of ignition if material is above the flash point giving rise to a fire (Class B). Vapors are heavier than air and may travel to a source of ignition and flash back. Empty containers that retain product residue (liquid, solid/sludge, or vapor) can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose container to heat, flame, sparks, static electricity, or other sources of ignition. Any of these actions can potentially cause an explosion that may lead to injury or death.

**Hazardous combustion products:** Oxides of carbon, Toxic fumes, Toxic gases

# Safety Data Sheet

Product identifier used on the label: TECTYL® 506G

Stock Number: 3119006

Revision Date: 01-13-2022

Replaces: 08-10-2021

## Special protective equipment and precautions for fire-fighters:

Do not enter fire area without proper protection including self-contained breathing apparatus and full protective equipment. Fight fire from a safe distance and a protected location due to the potential of hazardous vapors and decomposition products.

## 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures:

No health effects expected from the clean-up of this material if contact can be avoided. Follow personal protective equipment recommendations found in Section VIII of this SDS

### Methods and materials for containment and cleaning up:

Absorb or cover with dry earth, sand or other non-combustible material and transfer to appropriate waste containers. Use clean, non-sparking tools to collect absorbed material. Collect and discard in accordance with local, state and national regulations.

## 7. Handling and storage

### Precautions for safe handling:

Avoid contacting and avoid breathing the material. Use only in a well-ventilated area. "Empty" containers retain product residue (liquid and/or vapor) and can be dangerous. Do not get in eyes, on skin and clothing. Wash thoroughly after handling. As with all chemicals, good industrial hygiene practices should be followed when handling this material.

### Conditions for safe storage, including any incompatibilities:

#### Safe storage conditions:

Store in a cool dry place. Isolate from incompatible materials. Store in tightly sealed original container. Keep away from heat, sparks, and flame.

#### Materials to Avoid/Chemical Incompatibility:

Strong oxidizing agents

## 8. Exposure controls/personal protection

OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV), and any other exposure limit used or recommended by the chemical manufacturer, importer, or employer preparing the safety data sheet, where available:

Chemical component	OSHA PEL	ACGIH TLV	ACGIH STEL	IDLH
Distillates (petroleum), hydrotreated light		200 mg/m <sup>3</sup>		No data available
Ethylene glycol mono-n-butyl ether	50 ppm TWA; 240 mg/m <sup>3</sup> TWA	20 ppm TWA		No data available

# Safety Data Sheet

Product identifier used on the label: TECTYL® 506G

Stock Number: 3119006

Revision Date: 01-13-2022

Replaces: 08-10-2021

---

<b>Appropriate engineering controls:</b>	Local exhaust ventilation or other engineering controls are normally required when handling or using this product to avoid overexposure.  Engineering controls must be designed to meet the OSHA chemical specific standard in 29 CFR 1910.
<b>Individual protection measures, such as personal protective equipment:</b>	
<b>Respiratory Protection:</b>	Proper ventilation (at a minimum) will be required when handling this product. Use respirators (NIOSH approved) only if ventilation cannot be used to eliminate symptoms or reduce the exposure to below acceptable levels.
<b>Respirator Type(s):</b>	NIOSH approved air purifying respirator with organic vapor cartridge.
<b>Eye protection:</b>	Wear chemically resistant safety glasses with side shields when handling this product. Wear additional eye protection such as chemical splash goggles and/or face shield when the possibility exists for eye contact with splashing or spraying liquid, or airborne material. Do not wear contact lenses. Have an eye wash station available.
<b>Skin protection:</b>	Wear protective gloves. Inspect gloves for chemical break-through and replace at regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work.
<b>Gloves:</b>	Impervious rubber
<b>Other protective equipment:</b>	Wear chemically resistant safety glasses with side shields when handling this product. Wear additional eye protection such as chemical splash goggles and/or face shield when the possibility exists for eye contact with splashing or spraying liquid, or airborne material. Do not wear contact lenses. Have an eye wash station available.  Wear protective gloves. Inspect gloves for chemical break-through and replace at regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work.
<b>General hygiene conditions:</b>	Ground and bond containers when transferring material. Use spark-proof tools and explosion-proof equipment. "Empty" containers retain product residue (liquid and/or vapor) and can be dangerous. Do not get in eyes, on skin and clothing. Wash thoroughly after handling. As with all chemicals, good industrial hygiene practices should be followed when handling this material.

# Safety Data Sheet

Product identifier used on the label: TECTYL® 506G

Stock Number: 3119006

Revision Date: 01-13-2022

Replaces: 08-10-2021

## 9. Physical and chemical properties

### Appearance (physical state, color etc.):

Physical state:	Viscous Liquid
Color:	Amber
Odor:	Hydrocarbon Solvent Slight
Odor Threshold:	No data available
pH:	No data available
Melting point/freezing point (°C):	
Melting Point (°C):	No data available
Freezing point (°C):	No data available
Initial boiling point and boiling range (°C):	No data available
Flash Point:	>= 105 °F( 41 °C)
Evaporation Rate:	<1 (n-Butyl Acetate=1)
Flammability (solid, gas):	No data available
Upper/lower flammability or explosive limits:	
Upper flammability or explosive limits:	No data available
Lower flammability or explosive limits:	No data available
Vapor pressure:	2 mmHg @ 20°C
Vapor density:	>1 (Air=1)
Relative density:	0.89
Solubility(ies):	Negligible; 0-1%
Partition coefficient: n-octanol/water:	No data available
Auto-ignition temperature (°C):	No data available
Decomposition Temperature (°C):	No data available
Viscosity:	25000 cP
Volatiles, % by weight:	46
VOC, Material, lb/gal	3.4
VOC, Material, grams/liter	402
VOC minus exempt solvents & water, g/L	406

# Safety Data Sheet

Product identifier used on the label: TECTYL® 506G

Stock Number: 3119006

Revision Date: 01-13-2022

Replaces: 08-10-2021

## 10. Stability and reactivity

<b>Reactivity:</b>	Not expected to be reactive
<b>Chemical stability:</b>	Hazardous polymerization will not occur.
<b>Possibility of hazardous reactions:</b>	Under normal conditions of storage and use, hazardous reactions will not occur.
<b>Conditions to avoid (e.g., static discharge, shock, or vibration):</b>	Temperatures above flash point in combination with sparks, open flames, or other sources of ignition. Elevated temperatures. Contamination.
<b>Incompatible materials:</b>	Strong oxidizing agents
<b>Hazardous decomposition products:</b>	Under normal conditions of use & storage, decomposition and hazardous decomposition products are unlikely.

## 11. Toxicological information

**Description of the various toxicological (health) effects and the available data used to identify those effects:**

**Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact):** Eye contact, Skin contact, Inhalation

**Symptoms related to the physical, chemical and toxicological characteristics:** May cause respiratory irritation. May cause drowsiness or dizziness

**Delayed and immediate effects and also chronic effects from short- and long-term exposure:**

**Ingestion Toxicity:** Harmful if swallowed.

**Skin Contact:** Can cause minor skin irritation, defatting, and dermatitis.

**Inhalation Toxicity:** May cause respiratory irritation

**Eye Contact:** Contact with the eyes may cause moderate to severe eye injury. Eye contact may result in tearing and reddening, but not likely to permanently injure eye tissue. Temporary vision impairment (cloudy or blurred vision) is possible.

**Sensitization:** None known

**Mutagenicity:** No data

**Reproductive and Developmental Toxicity:** No data available

**Carcinogenicity:** There are no carcinogenic ingredients present at or over 0.1%.

**STOT-single exposure:** Classification has been based on toxicological information of the components in Section 3.

# Safety Data Sheet

Product identifier used on the label: TECTYL® 506G

Stock Number: 3119006

Revision Date: 01-13-2022

Replaces: 08-10-2021

**STOT-repeated exposure:** Based on available data, the classification criteria are not met.

**Aspiration hazard:** Based on available data, the classification criteria are not met.

**Numerical measures of toxicity (such as acute toxicity estimates):**

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Distillates (petroleum), hydrotreated light			Inhalation LC50 (4h) Rat > 20 mg/L
Ethylene glycol mono-n-butyl ether	Oral LD50 Rat = 1300 mg/kg	Dermal LD50 Rat 2000 mg/kg	Inhalation LC50 (4h) Guinea pig 932 ppm

**Is the hazardous chemical listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or has it been found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition), or by OSHA?:**

Chemical Name	OSHA Carcinogen	IARC Carcinogen	NTP Carcinogen
No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen.			

## 12. Ecological information

**Ecotoxicity (aquatic and terrestrial, where available):** No data available

**Ecological Toxicity Data:**

Chemical Name	CAS #	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
Ethylene glycol mono-n-butyl ether	111-76-2	LC50(24HR) WATER FLEA > 1720 mg/L	No data available	LC50(96 HR) BLUEGILL SUNFISH = 1490 mg/L

**Persistence and degradability:** No data

**Bioaccumulative potential:** No data available

**Mobility in soil:** No data available

**Other adverse effects (such as hazardous to the ozone layer):** No data available



# Safety Data Sheet

Product identifier used on the label: TECTYL® 506G

Stock Number: 3119006

Revision Date: 01-13-2022

Replaces: 08-10-2021

## 13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging:

Spent or discarded material may be a hazardous waste.

Dispose of by incineration following Federal, State, Local, or Provincial regulations.

Waste codes / waste designations:

D001

## 14. Transport information

Domestic Ground in containers <= 119 GL	Corrosion preventive/Non-Regulated
Domestic Ground in containers > 119 GL	UN1268, PETROLEUM DISTILLATES, N.O.S., (Naphtha Solvent), Combustible liquid, PG III
Shipping name for Export, Air (IATA)	UN1268, PETROLEUM DISTILLATES, N.O.S., (Naphtha Solvent),3, PG III
Shipping name for Export, Sea (IMDG)	UN1268, PETROLEUM DISTILLATES, N.O.S., (Naphtha Solvent),3, PG III
Marine Pollutant?	No

## 15. Regulatory information

### International Inventory

Country(s) or region		On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes

# Safety Data Sheet

Product identifier used on the label: TECTYL® 506G

Stock Number: 3119006

Revision Date: 01-13-2022

Replaces: 08-10-2021

Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippines Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Inventory	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or are unknown from listing on the inventory administered by the governing country(s).

Chemical Name	CAS #	Regulation	Percent
<b>Crystalline silica</b>	14808-60-7	Prop. 65 - Cancer	<0.1
<b>Naphthalene</b>	91-20-3	Prop. 65 - Cancer	TRACE
<b>Cumene</b>	98-82-8	Prop. 65 - Cancer	TRACE
<b>Benzene</b>	71-43-2	Prop. 65 - Cancer	TRACE
<b>Ethylbenzene</b>	100-41-4	Prop. 65 - Cancer	TRACE
<b>Toluene</b>	108-88-3	Prop. 65 - Developmental and/or Reproductive	<0.1
<b>Benzene</b>	71-43-2	Prop. 65 - Developmental and/or Reproductive	TRACE

# Safety Data Sheet

Product identifier used on the label: TECTYL® 506G

Stock Number: 3119006

Revision Date: 01-13-2022

Replaces: 08-10-2021

---

<b>Toluene</b>	108-88-3	CERCLA	<0.1 RQ = 1000 lbs
<b>Naphthalene</b>	91-20-3	CERCLA	TRACE RQ = 100 lbs.
<b>Cumene</b>	98-82-8	CERCLA	TRACE RQ = 5000 lbs.
<b>Benzene</b>	71-43-2	CERCLA	TRACE RQ = 10 lbs.
<b>Ethylbenzene</b>	100-41-4	CERCLA	TRACE RQ = 1000 lbs.
<b>Glycol ethers (N230)</b>	111-76-2	SARA 313	1 - 5
<b>Toluene</b>	108-88-3	SARA 313	<0.1
<b>Naphthalene</b>	91-20-3	SARA 313	TRACE
<b>Cumene</b>	98-82-8	SARA 313	TRACE
<b>Benzene</b>	71-43-2	SARA 313	TRACE
<b>Ethylbenzene</b>	100-41-4	SARA 313	TRACE
<b>No SARA 302 EHS-listed chemicals in this product.</b>		SARA EHS	

# Safety Data Sheet

Product identifier used on the label: TECTYL® 506G

Stock Number: 3119006

Revision Date: 01-13-2022

Replaces: 08-10-2021

---

<b>16. Other information, including date of preparation or last revision.</b>
---

**SDS Prepared by:** DAUBERT\HALINSKI

**Revision Date:** 01-13-2022

**Revision Number:** 30

**Reason for revision:** Reviewed  
Approved: M. Longo

**Disclaimer:** Although the information contained herein is believed to be reliable, it is furnished without warranty of any kind. This information is not intended to be all-inclusive as to the manner and conditions of use, handling, and storage.