

 Stock Number:
 3084021

 Revision Date:
 04-05-2022

 Replaces:
 01-28-2019

Click here for more info!

www.EmultecIndustrial.com | (972) 417-1288

TECTYL® 300G CLEAR

1. Identification

Product identifier used on the label: TECTYL® 300G CLEAR

Stock Number: 3084021

Other means of identification:

Synonyms: None Chemical family: Mixture



Recommended use: Corrosion Preventive Compound

Restrictions on use:Uses other than those described above

Name, address, and telephone number

of the chemical manufacturer,

importer, or other responsible party:

Daubert Chemical Company

4700 S. Central Avenue

Chicago, IL 60638

Telephone number: 1-708-496-7350 **E-mail address:** SDS@Daubert.com

Emergency phone number: Chemtrec: (800) 424-9300 - in USA and Canada

+1-703-527-3887 - outside USA and Canada

2. Hazard(s) identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200:

GHS Hazard Symbols:





GHS Classification: Skin Corrosion/Irritation Category 2; Serious Eye Damage/Eye Irritation

Category 2A; Flammable Liquid Category 3

Signal Word: Warning

Hazard Statements: Flammable liquid and vapor

Causes skin irritation

Causes serious eve irritation

Unclassified Hazards (HNOC): "DO NOT FREEZE"

Precautionary Statements:

Prevention: Keep away from heat/sparks/open flames/hot surfaces. – No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting equipment.

Product identifier used on the label: TECTYL® 300G CLEAR

Stock Number: 3084021 Revision Date: 04-05-2022 Replaces: 01-28-2019

Use only non-sparking tools.

Take precautionary measures against static discharge.

Wash thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face

protection.

Response: If on skin: Wash with plenty of water.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse

skin with water/shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

Specific treatment: see Section 4 on this SDS.

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

In case of fire: Use appropriate media to extinguish.

Storage: Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Disposal: Dispose of contents/container to a suitable disposal site in accordance

with local/national/international regulations.

Hazards not otherwise classified: No data available

3. Composition/information on ingredients

Chemical Name	Common name and synonyms	CAS#	%
Ethylene glycol mono-n-butyl	None	111-76-2	10 - 30
ether			
sec-Butyl alcohol	None	78-92-2	1 - 5

Specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Description of necessary measures, subdivided according to the different routes of exposure, i.e., inhalation, skin and eye contact, and ingestion:

Inhalation: If symptoms are experienced remove source of contamination or move

victim to fresh air and obtain medical advice.

Product identifier used on the label: TECTYL® 300G CLEAR

Stock Number: 3084021 Revision Date: 04-05-2022 Replaces: 01-28-2019

Eye Contact: Flush eyes with plenty of water for at least 20 minutes retracting eyelids

often. Tilt the head to prevent chemical from transferring to the

uncontaminated eye. Get immediate medical attention.

Skin Contact: Wash with soap and water. Remove contaminated clothing and launder.

Get medical attention if irritation develops or persists.

Ingestion: Do not induce vomiting and seek medical attention immediately. Provide

medical care provider with this SDS. If vomiting occurs, lean victim

forward to reduce risk of aspiration into lungs.

Most important symptoms/effects,

acute and delayed:

Causes skin irritation. Causes serious eye irritation

Indication of immediate medical attention and special treatment

needed, if necessary:

Consult a physician. Treat symptomatically.

5. Fire-fighting measures

Suitable (and unsuitable) extinguishing media:

Suitable extinguishing media: Use alcohol resistant foam, carbon dioxide, or dry chemical extinguishing

agents. Water may be ineffective, but water spray can be used to

extinguish a fire if swept across the base of the flames. Water can absorb

heat and keep exposed material from being damaged by fire.

Unsuitable extinguishing media: Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the

chemical:

Vapors may be ignited by sparks, flames, or other sources of ignition if material is above the flash point giving rise to a fire (Class B). Vapors are heavier than air and may travel to a source of ignition and flash back.

Container may explode in heat of fire.

Hazardous combustion products: Oxides of carbon, Toxic fumes, Toxic gases, Hydrocarbons

Special protective equipment and precautions for fire-fighters:

Do not enter fire area without proper protection including self-contained breathing apparatus and full protective equipment. Fight fire from a safe distance and a protected location due to the potential of hazardous

vapors and decomposition products.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Exposure to the spilled material may be irritating or harmful. Follow personal protective equipment recommendations found in Section 8 of this SDS. Additional precautions may be necessary based on special circumstances created by the spill including the material spilled, the quantity of the spill, the area in which the spill occurred. Also consider the expertise of employees in the area responding to the spill.

Product identifier used on the label: TECTYL® 300G CLEAR

Stock Number: 3084021 Revision Date: 04-05-2022 Replaces: 01-28-2019

Evaporation of volatile substances can lead to the displacement of air creating an environment that can cause asphyxiation.

Methods and materials for containment and cleaning up:

Absorb or cover with dry earth, sand or other non-combustible material and transfer to appropriate waste containers. Use clean, non-sparking tools to collect absorbed material. Collect and discard in accordance with local, state and national regulations.

7. Handling and storage

Precautions for safe handling: Avoid contacting and avoid breathing the material. Use only in a well-

ventilated area. Remove contaminated clothing and wash before reuse. Use spark-proof tools and explosion-proof equipment. "Empty" containers retain product residue (liquid and/or vapor) and can be dangerous. Ground and bond containers when transferring material. Wash thoroughly after handling. As with all chemicals, good industrial hygiene practices should be followed when handling this material. Do not

get in eyes, on skin and clothing.

Conditions for safe storage, including

any incompatibilities:

Safe storage conditions: Store in a cool dry ventilated location. Isolate from incompatible

materials and conditions. Keep container(s) closed. Keep from freezing.

Limit quantity of material stored. Do not store near combustible

materials Keep away from heat, sparks, and flame. Store in a cool place in original container and protect from sunlight. Store in a cool dry place.

Materials to Avoid/Chemical

Incompatibility:

Strong alkalies, Acetic anhydride, Peroxides, Strong oxidizing agents,

Strong acids

8. Exposure controls/personal protection

OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV), and any other exposure limit used or recommended by the chemical manufacturer, importer, or employer preparing the safety data sheet, where available:

Chemical component	OSHA PEL	ACGIH TLV	ACGIH STEL	IDLH
Ethylene glycol mono-n-	50 ppm TWA; 240	20 ppm TWA		No data available
butyl ether	mg/m3 TWA			
sec-Butyl alcohol	150 ppm TWA	100 ppm TWA		No data available

Appropriate engineering controls:

Local exhaust ventilation or other engineering controls are normally required when handling or using this product to avoid overexposure.

Facilities storing or using this material should be equipped with an eyewash and safety shower.

Product identifier used on the label: TECTYL® 300G CLEAR

Stock Number: 3084021 Revision Date: 04-05-2022 Replaces: 01-28-2019

Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits

Ventilation is required to maintain operator exposure below published exposure

limits.

Explosion proof exhaust ventilation should be used.

Engineering controls must be designed to meet the OSHA chemical specific

standard in 29 CFR 1910.

Individual protection measures, such as personal protective equipment:

Respiratory Protection: Proper ventilation (at a minimum) will be required when handling this product.

Use respirators (NIOSH approved) only if ventilation cannot be used to eliminate symptoms or reduce the exposure to below acceptable levels. Wear a NIOSH approved respirator if any exposure is possible. Follow a respiratory protection program that meets 29 CFR 1910.134 and ANSI Z88.2 requirements whenever

workplace conditions warrant the use of a respirator.

Eye protection: Wear chemically resistant safety glasses with side shields when handling this

product. Wear additional eye protection such as chemical splash goggles and/or face shield when the possibility exists for eye contact with splashing or spraying liquid, or airborne material. Do not wear contact lenses. Have an eye wash

station available.

Skin protection: Wear protective gloves. Inspect gloves for chemical break-through and replace at

regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when

leaving work.

Gloves: Chemically resistant gloves

Other protective equipment: Wear chemically resistant safety glasses with side shields when handling this

product. Wear additional eye protection such as chemical splash goggles and/or face shield when the possibility exists for eye contact with splashing or spraying liquid, or airborne material. Do not wear contact lenses. Have an eye wash

station available.

Wear protective gloves. Inspect gloves for chemical break-through and replace at regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when

leaving work.

General hygiene conditions: Keep in air-tight containers- material is hygroscopic. Remove contaminated

clothing and wash before reuse. Use spark-proof tools and explosion-proof equipment. "Empty" containers retain product residue (liquid and/or vapor) and can be dangerous. Ground and bond containers when transferring material. Wash thoroughly after handling. As with all chemicals, good industrial hygiene practices should be followed when handling this material. Do not get in eyes, on

skin and clothing.

Product identifier used on the label: TECTYL® 300G CLEAR

Stock Number: 3084021 Revision Date: 04-05-2022 Replaces: 01-28-2019

9. Physical and chemical properties

Appearance (physical state, color etc.):

Physical state: Liquid
Color: Amber
Odor: Ammonia

Slight

Odor Threshold: No data available

pH: 8.5

Melting point/freezing point (°C):

Melting Point (°C):

Freezing point (°C):

No data available

136 °F (58 °C)

Evaporation Rate: =1 (n-Butyl Acetate =1)

Flammability (solid, gas): No data available

Upper/lower flammability or explosive

limits:

Upper flammability or explosive limits:

No data available

No data available

Vapor pressure:

No data available

Vapor density: >1 (Air=1)
Relative density: 1.014

Solubility(ies):

Complete; 100%

Partition coefficient: n-octanol/water:

No data available

Viscosity:

45 sec, Zahn

Volatiles, % by weight: 72
VOC, Material, lb/gal 1.49
VOC, Material, grams/liter 179

VOC minus exempt solvents & water, g/L 396

Product identifier used on the label: TECTYL® 300G CLEAR

Stock Number: 3084021 Revision Date: 04-05-2022 Replaces: 01-28-2019

10. Stability and reactivity

Reactivity: Not expected to be reactive

Chemical stability: Hazardous polymerization will not occur.

Possibility of hazardous reactions: Under normal conditions of storage and use, hazardous reactions will not

occur

Conditions to avoid (e.g., static

Sparks, open flame, other ignition sources, and elevated temperatures. Contamination.

discharge, shock, or vibration):

Incompatible materials:

Strong alkalies, Acetic anhydride, Peroxides, Strong oxidizing agents,

Strong acids

Hazardous decomposition products:

Under normal conditions of use & storage, decomposition and hazardous

decomposition products are unlikely.

11. Toxicological information

Description of the various toxicological (health) effects and the available data used to identify those effects:

Information on the likely routes of

exposure (inhalation, ingestion, skin

and eye contact):

Eye contact, Skin contact, Inhalation

Symptoms related to the physical,

chemical and toxicological

characteristics:

Causes skin irritation. . Causes serious eye irritation

Delayed and immediate effects and also chronic effects from short- and long-term exposure:

Ingestion Toxicity: Harmful if swallowed.

Skin Contact: Can cause moderate skin irritation, defatting, and dermatitis. Not likely to

cause permanent damage.

Inhalation Toxicity: Can cause systemic damage.

Eye Contact: Can cause moderate irritation, tearing and reddening, but not likely to

permanently injure eye tissue.

Sensitization: None known

Mutagenicity: No data

Reproductive and Developmental

No data available

Toxicity:

Carcinogenicity: There are no carcinogenic ingredients present at or over 0.1%.

STOT-single exposure: Based on available data, the classification criteria are not met.

STOT-repeated exposure: Based on available data, the classification criteria are not met.

Product identifier used on the label: TECTYL® 300G CLEAR

Stock Number: 3084021 Revision Date: 04-05-2022 Replaces: 01-28-2019

Aspiration hazard:

Based on available data, the classification criteria are not met.

Numerical measures of toxicity (such as acute toxicity estimates):

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Ethylene glycol mono-n-	Oral LD50 Rat = 1300	Dermal LD50 Rat 2000	Inhalation LC50 (4h)
butyl ether	mg/kg	mg/kg	Guinea pig 932 ppm
sec-Butyl alcohol	Oral LD50 Rat = 2193	Dermal LD50 Rat > 2000	
	mg/kg	mg/kg	

Is the hazardous chemical listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or has it been found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition), or by OSHA?:

Chemical Name	OSHA Carcinogen	IARC Carcinogen	NTP Carcinogen
No component of this			
product present at levels			
greater than or equal to			
0.1% is identified as a			
known or anticipated			
carcinogen.			

12. Ecological information

Ecotoxicity (aquatic and terrestrial,

No data available

where available):

Ecological Toxicity Data:

Chemical Name	CAS#	Aquatic EC50	Aquatic ERC50	Aquatic LC50 Fish
		Crustacea	Algae	
Ethylene glycol mono-n-	111-76-2	LC50(24HR) WATER	No data available	LC50(96 HR)
butyl ether		FLEA > 1720 mg/L		BLUEGILL SUNFISH
				= 1490 mg/L
sec-Butyl alcohol	78-92-2	EC50(48 HR)	EC50(96HR) ALGAE	LC50(96 HR)
		Daphnia 308 mg/L	2029 mg/L	FLATHEAD
				MINNOW 2993
				mg/L

Persistence and degradability: No data

Bioaccumulative potential:No data available

Mobility in soil: No data available

Other adverse effects (such as No

hazardous to the ozone layer):

No data available

Product identifier used on the label: TECTYL® 300G CLEAR

Stock Number: 3084021 Revision Date: 04-05-2022 Replaces: 01-28-2019

13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated

Spent or discarded material is a hazardous waste.

Dispose of by incineration following Federal, State, Local, or Provincial

regulations.

packaging:

Waste codes / waste designations: D001

14. Transport information

Domestic Ground in containers <= 119 GL	Corrosion preventive/Non-Regulated
Domestic Ground in containers > 119 GL	UN1268, PETROLEUM DISTILLATES, N.O.S., (Butyl alcohol), Combustible liquid, PG III
Shipping name for Export, Air (IATA)	UN1268, PETROLEUM DISTILLATES, N.O.S., (Butyl alcohol),3, PG III
Shipping name for Export, Sea (IMDG)	UN1268, PETROLEUM DISTILLATES, N.O.S., (Butyl alcohol),3, PG III
Marine Pollutant?	No

15. Regulatory information

International Inventory

Country(s) or region		On inventory (yes/no)*
Australia	Australian Inventory of Chemical	Yes
	Substances (AICS)	
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes

Product identifier used on the label: TECTYL® 300G CLEAR

Stock Number: 3084021 Revision Date: 04-05-2022 Replaces: 01-28-2019

Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippines Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Inventory	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or are unknown from listing on the inventory administered by the governing country(s).

Chemical Name	CAS#	Regulation	Percent
Contains no components from California Prop. 65 - Cancer list		Prop. 65 - Cancer	
Contains no components from California Prop. 65 - Developmental/Reproductive list		Prop. 65 - Developmental and/or Reproductive	
Ammonium Hydroxide	1336-21-6	CERCLA	<0.1
			RQ = 1000 lbs.
Glycol ethers (N230)	111-76-2	SARA 313	10 - 30
sec-Butyl alcohol	78-92-2	SARA 313	1 - 5
Cobolt Compounds (N096)	136-52-7	SARA 313	<0.1
Ammonium Hydroxide	1336-21-6	SARA 313	<0.1

Product identifier used on the label: TECTYL® 300G CLEAR

Stock Number: 3084021 Revision Date: 04-05-2022 Replaces: 01-28-2019

No SARA 302 EHS-listed chemicals

SARA EHS

in this product.

16. Other information, including date of preparation or last revision.

SDS Prepared by: DAUBERT\HALINSKI

Revision Date: 04-05-2022

Revision Number: 22

Reason for revision: Reviewed

Approved: M. Longo

Disclaimer: Although the information contained herein is believed to be reliable, it is

furnished without warranty of any kind. This information is not intended to be all-inclusive as to the manner and conditions of use, handling, and

storage.